

Standard

No.	MODULE TYPE	I _{max}	V _{max}	Q _{max} ,	T _{max}	Cold side	Hot side	Height
		A	V	W	°C			
1	HMN2512	2.5	2	3	72	12 × 12	12 × 12	4.2
2	HMN2515	2.5	3.6	5.7	72	15 × 15	15 × 15	4.2
3	HMN2530	2.5	7.2	11.6	72	15 × 30	15 × 30	4.2
4	HMN25224	2.5	8.2	13	72	22.4 × 22.4	22.4 × 22.4	4.2
5	HMN2530	2.5	14.6	23.5	72	30 × 30	30 × 30	4.2
6	HMN3012	3	2	3.3	72	12 × 12	12 × 12	3.8
7	HMN3015	3	2.6	5.3	72	15 × 15	15 × 15	3.6
8	HMN3015	3	3.6	7.2	72	15 × 15	15 × 15	3.8
9	HMN3030	3	7.2	13	72	15 × 30	15 × 30	3.4
10	HMN3030	3	7.2	14.6	72	15 × 30	15 × 30	3.8
11	HMN30224	3	8.2	16.5	72	22.4 × 22.4	22.4 × 22.4	3.8
12	HMN3030	3	14.6	29	72	30 × 30	30 × 30	3.4
13	HMN3030	3	14.6	29	72	30 × 30	30 × 30	3.8
14	HMN3040	3	27.7	56	72	40 × 40	40 × 40	3.8
15	HMN30544	3	51.7	101	72	54.4 × 54.4	54.4 × 57.0	3.4
16	HMN3712	3.7	2	4.6	72	12 × 12	12 × 12	4.7
17	HMN3720	3.7	3.6	8.4	72	20 × 20	20 × 20	4.7
18	HMN3730	3.7	4	9.5	72	15 × 30	15 × 30	4.7
19	HMN3740	3.7	7.2	17	72	20 × 40	20 × 40	4.7
20	HMN3734	3.7	8.2	19.3	72	30 × 30	30 × 30	4.7
							30 × 34	
21	HMN3744	3.7	14.6	34.5	72	40 × 40	40 × 40	4.7
							40 × 44	
22	HMN3912	3.9	2	4.9	72	12 × 12	12 × 12	3.6
23	HMN3915	3.9	3.6	8.9	72	15 × 15	15 × 15	3.6
24	HMN3930	3.9	7.2	18	72	15 × 30	15 × 30	3.6
25	HMN39224	3.9	8.2	20.4	72	22.4 × 22.4	22.4 × 22.4	3.6
26	HMN3930	3.9	14.6	36.6	72	30 × 30	30 × 30	3.6
27	HMN3940	3.9	27.7	69	72	40 × 40	40 × 40	3.6
28	HMN6015	6	2	7.4	72	15 × 15	15 × 15	3.8
29	HMN6020	6	3.6	13.6	72	20 × 20	20 × 20	3.8
30	HMN6030	6	4	15.3	72	15 × 30	15 × 30	3.8
31	HMN6040	6	7.2	27.7	72	20 × 40	20 × 40	3.8
32	HMN6034	6	8.2	31	72	30 × 30	30 × 30	3.8
							30 × 34	
33	HMN6044	6	14.6	55	72	40 × 40	40 × 40	3.8
							40 × 44	
34	HMN6080	6	29.2	106	72	40 × 80	44 × 80	3.8
35	HMN6062	6	29.5	110	72	Ø 62		3.8

Standard

No.	MODULE TYPE	I _{max}	V _{max}	Q _{max} ,	T _{max}	Cold side	Hot side	Height
		A	V	W	°C			
36	HMN75224	7.5	8.2	36	72	22.4 × 22.4	22.4 × 22.4	3.2
37	HMN7530	7.5	14.6	62	72	30 × 30	30 × 30	3.2
38	HMN7540	7.5	14.6	62	72	40 × 40	40 × 40	3.2
39	HMN8030	8	4	19	72	15 × 30	15 × 30	3.4
40	HMN80548	8	12.6	59	72	54.8 × 24.8	54.8 × 24.8	3.5
41	HMN80767	8	16.6	81	72	16.2 × 72.4	16.8 × 76.7	2.7
42	HMN8515	8.5	2	12	72	15 × 15	15 × 15	3.4
43	HMN8520	8.5	3.6	18	72	20 × 20	20 × 20	3.4
44	HMN8530	8.5	4	20.4	72	15 × 30	15 × 30	3.4
45	HMN8540	8.5	7.2	37	72	20 × 40	20 × 40	3.4
46	HMN8535	8.5	7.9	46	72	35 × 35	35 × 35	3.4
47	HMN8534	8.5	8.2	41.4	72	30 × 30	30 × 30	3.4
							30 × 34	
48	HMN8544	8.5	14.6	74	72	40 × 40	40 × 40	3.4
							40 × 44	
49	HMN8554	8.5	27.7	135	72	54.4 × 54.4	54.4 × 54.4	3.4
50	HMN90254	9	3.6	21	72	25.4 × 25.4	25.4 × 28.4	4.8
51	HMN9035	9	7.9	45	72	35 × 35	35 × 40	3
52	HMN9030	9	8.2	46	72	30 × 30	30 × 30	3.4
53	HMN9050	9	16.2	75	72	25 × 50	25 × 50	3.2
54	HMN9055	9	17.6	93	72	30 × 55	30 × 55	3.9
55	HMN9054	9	27.7	158	72	50 × 50	50 × 54	3.8
56	HMN12040	12	8,2	63,0	72	40 × 40	40 × 40	3,8
57	HMN12054	12	14.6	113	72	50 × 50	50 × 54	3.8
58	HMN150254	15	3.7	35	72	25.4 × 25.4	25.4 × 25.4	3.6
59	HMN15029	15	8.2	70	72	29.2 × 29.2	29.8 × 33.8	2.35
60	HMN15040	15	8.2	77	72	40 × 40	40 × 40	3.6
61	HMN15044	15	14.6	120	72	40 × 40	40 × 40	3.2
							40 × 44	
62	HMN15054	15	14.6	110	72	50 × 50	50 × 54	3.6
63	HMN15040	15	18.5	150	72	40 × 40	40 × 40	3.3
64	HMN15054	15	27.7	230	72	50 × 50	50 × 54	3.6
65	HMN150544	15.5	8	76	72	36.4 × 50.2	36.4 × 54.4	4.7
66	HMN20059	20	8.6	115	72	37.4 × 54.8	37.4 × 59.0	3.2
67	HMN20054	20	27.7	310	68	50 × 50	50 × 54	3.45
68	HMN24059	24	8	115	72	36.4 × 50.2	37.4 × 59.0	3.2
69	HMN28054	28	27.7	430	68	50 × 50	50 × 54	3.25
70	HMN60040	60	2.1	78	72	40 × 40	40 × 40	4.5
71	HMN75040	75	2.1	95	72	40 × 40	40 × 40	4.2

Standard

No.	MODULE TYPE	I _{max}	V _{max}	Q _{max} ,	T _{max}	Cold side	Hot side	Height
		A	V	W	°C			
72	HMN90040	90	2.1	112	72	40 x 40	40 x 40	4
73	2HMN5040	5	15.5	17	95	40 x 40	40 x 40	11.7
74	2HMN6540	6.5	16	35	86	40 x 40	40 x 40	7.5